

SLIDING WINDOW

ES-EL200



Glazing options



7/8'

Designed for 5/16" laminated glass

- 1/8" Heat Strean'd + 0.090 Interlayer +1/8" Heat Strean'd.
- 1/8" Heat Strean'd + 0.075 Interlayer +1/8" Heat Strean'd.

Designed for 7/16" laminated glass

- 1/8" Heat Strean'd + 0.090 Interlayer +1/4" Heat Strean'd.
- 1/8" Heat Strean'd + 0.075 Interlayer +1/4" Heat Strean'd.

Designed for 13/16" insulating laminated glass

• 1/8" Temp. Glass + 3/8" air spacer + 1/8" Heat Strean d+ 0.090 Interlayer + 1/8" Heat Strean 'd.

Designed for 7/8" insulating laminated glass

- 1/8" Temp. Glass + 5/16" air spacer + 1/8" Heat Strean d+ 0.090 Interlayer + 1/4" Heat Strean'd.
- 1/8" Temp. Glass + 5/16" air spacer + 1/8" Heat Strean d+ 0.075 Interlayer + 1/4" Heat Strean'd.


INTERLAYER TYPES FOR LAMINATED GLASS

- 0.090 Sentryglass Plus (SGP)
- 0.075 Vanceva Storm

PAINTED, SERIGRAPHY, DIGITAL PRINTED

For more information please contact TECNOGLASS® or visit www.tecnoglass.com

- 13/16"



ESWINDOWS

Aluminum

ALLOY 6063-T6 ALLOY 6005-T5

For more information about aluminum and finishes consult ALUTIONS [®].

Meassurements

Maximum sizes:

FOR XO AND OX: 72 15/16" x 62" . FOR XOX: 110" x 62" .

Sealant

APPROVED SILICONE SEALS:

WEATHERPROOFING SILICONE:

Used to seal profile unions to avoid air and water infiltration.

• Dowcorning 791(Black-White)

STRUCTURAL SILICONE:

Besides acting as a sealant it is capable to support high loads. This silicone is commonly used to support the glass in facades and hurricane resistant products.

- Dowcorning 983
- Dowcorning 795